OTHER COVID-19 VACCINATION SCHEDULE AND DOSING

I-VAC
ILLINOIS VACCINATES AGAINST COVID-19
A project led by the Illinois Chapter of the American Academy of Pediatrics

Janssen (J&J)

Ages 18 years and older

dose/injection volume
(dilute before use)

Bivalent Boosters:
- Pfizer Gray Cap (gray label) **or**
- Moderna Dark Blue Cap (gray label)



Pfizer: 30 µg/0.3 mL
Moderna: 50 µg/0.5 mL

Novavax

Ages 12 years and older

dose/injection volume

Bivalent Booster Options:
- Pfizer Gray Cap (gray label)
- Moderna Dark Blue Cap (gray label)

Monovalent Booster:
- Novavax Light Gray Cap[Δ]

Pfizer: 30 µg/0.3 mL
Moderna: 50 µg/0.5 mL
Novavax: 55 µg/0.5 mL

[Δ]Booster doses are only indicated for recipients 18 years of age and older in limited situations. See CDC.

FOR MODERATELY TO SEVERELY IMMUNOCOMPROMISED POPULATIONS

Janssen (J&J)

Ages 18 years and older

dose/injection volume
(dilute before use)

Primary Dose:
- Pfizer's Gray Cap
- Moderna's Red Cap (blue label)

Bivalent Boosters:
- Pfizer Gray Cap (gray label) **or**
- Moderna Dark Blue Cap (gray label)



Pfizer: 30 µg/0.3 mL
Moderna: 50 µg/0.5 mL

§ Age-appropriate mRNA COVID-19 vaccines are preferred over the Janssen COVID-19 Vaccine for all vaccine doses for all vaccine-eligible people 18 years of age and older. Janssen COVID-19 vaccine should only be used in limited situations. See CDC.

¶ mRNA vaccine must be used.

Source: COVID-19 Vaccine Interim COVID-19 Immunization Schedule for 6 Months of Age and Older

See the CDC's Guidance for latest updates and information on who is considered moderately or severely immunocompromised.

Funding for this project was made possible by the Office of Disease Control, through the Illinois Department of Public Health.

illinoisvaccinates.com