



TOOLKIT

SECTION 4: VACCINE ORDERING, STORAGE, AND HANDLING

Last Updated August 23, 2023

Funding for this project was made possible by the Office of Disease Control, through the Illinois Department of Public Health.

CONTENTS

Vaccine Ordering	4-3
Determining How Much to Order	4-6
Ordering Tools	4-7
Tips for Ordering	4-7
Ancillary Kits	4-8
Vaccine Shipment Packaging	4-9
Unpacking & Labeling	4-10
Storage & Handling	4-11
Organizing Vaccine Stock	4-16
Expiration Dates	4-17

VACCINE ORDERING

Vaccine ordering will typically take place within I-CARE. **All ordering for Bivalent products ended on August 3rd, 2023.**

Below is a chart for the expected ordering of the XBB1.5 vaccine product releasing in Fall 2023.

FORMULATION	CPT CODE	PRESENTATION	MINIMUM ORDER QTY	HOW TO ORDER	COST	DELIVERY TIME
Novavax						
Patient age 12 years and older	91304	Multi-dose vials containing 5 doses	50 doses	<ul style="list-style-type: none"> Through VFC and other state programs Wholesaler/distribution channels 	Unknown - Prices will depend on the contract or group affiliation	Varies
Pfizer						
Patient age 6 months–4 years	91318	Multi-dose vials containing 3 doses	30 doses	<ul style="list-style-type: none"> Through VFC and other state programs <u>Pfizer Prime</u>: 15% of an order that is received can be returned Wholesaler/distribution channels 	Unknown - Prices will depend on the contract or group affiliation	Varies
Patient age 5 years–11 years	91319	Single-dose vials	10 doses			
Patient age 12 years and older	91320	Single-dose vials or single-dose prefilled syringes*				
Moderna						
Patient age 6 months–11 years	91321	Single-dose vials that come in 10-count cartons	10 doses	<ul style="list-style-type: none"> Through VFC and other state programs <u>Moderna Direct</u>: 10% of an order that is received can be returned Wholesaler/distribution channels 	Unknown - Prices will depend on the contract or group affiliation	Varies, Moderna would begin shipping the vaccines after FDA approval
Patient age 12 years and older	91322	Single-dose prefilled syringes sold in 10-count cartons with a blister pack option				

*There will be limited quantities of prefilled syringes and they will not be available for initial stocking orders.

Sources: [Pfizer: Pfizer and BioNTech Submit Applications to U.S. FDA for Omicron XBB.1.5-Adapted Monovalent COVID-19 Vaccine](#)
[AAP News: Pediatricians can reserve Moderna's new COVID-19 vaccines](#)

VACCINE ORDERING (CONTINUED)

Creating a Standard Operating Procedure

Establishing a clear standard operating procedure (SOP) for vaccine storage, handling, and administration is an easy way to minimize vaccine waste. You can view an example of a thorough SOP from the CDC [here](#).

Consider designating a primary and secondary vaccine coordinator for the facility who can:

- Order vaccines
- Oversee storage and handling
- Document vaccine inventory
- Dispose of expired vaccines



Remember, you cannot use adult vaccine products on pediatric populations. See [Section 5: Vaccine Administration](#) for more information on vaccine interchangeability.



VACCINE ORDERING (CONTINUED)

Before You Order, Make Sure You Select the Necessary Storage Equipment

The equipment you choose should be carefully selected to ensure that they are reliable and allow for temperatures to remain stable. As with all vaccines, you must verify your facility is meeting proper storage requirements to ensure the vaccine does not lose its potency. You do not need a separate unit for COVID-19 vaccines.

Cold-chain storage and handling requirements for each COVID-19 vaccine product will vary.

Maintaining Appropriate Storage Temperatures

You will need a calibrated thermometer or temperature recording device (TMD) inside each piece of storage equipment. **CDC recommends a specific type of TMD called a “digital data logger” (DDL).** A DDL provides the most accurate storage unit temperature information, including details on how long a unit has been operating outside the recommended temperature range (referred to as a “temperature excursion”). Per CDC recommendations your vaccine **storage unit temperature should be checked at the start and end of each workday and documented on a physical log that is kept on the storage unit. Once a day the clinic needs to document on the physical log the units minimum and maximum temperature.**

To ensure your facility is adhering to proper storage guidelines, be sure to have cold chain procedures in place that are routinely reviewed and monitored. If an error occurs, **corrective action should be taken as soon as possible.** **Per CDC and VFC guidelines, keep the temperature logs for three years so they can be analyzed for long-term trends and/or reoccurring problems.**

See the CDC’s resource for Handling a Temperature Excursion in Your Vaccine Storage Unit [here](#).

DETERMINING HOW MUCH TO ORDER

When determining how much vaccine to order, please consider the following key ordering criteria:

- Order for estimated use and maintain enough inventory to last 3 weeks; inventory should not exceed a one-month supply
- Geography and concentration of vaccine locations or events
 - Remember, pharmacies cannot vaccinate children under 3 years of age
- Patient population size and percent that is expected to uptake
- Example: You have a pediatric population of 4,900 between ages 6 months to 4 years
 - CDC estimates 20 - 30% will get vaccinated
 - Order 980 to 1100 doses



TIP: You can survey patients to better understand what phase individuals are in (early adopters, laggards) as this may impact content and provider ordering.



The goal is to vaccinate every eligible and interested patient!

Some waste is expected.

ORDERING TOOLS

Vaccine Matchmaker

“The COVID-19 Vaccine MatchMaker Service” is designed to help utilize existing inventory and prevent vaccines or needles from expiring. This is only for unopened vials of vaccine. It allows providers that need the vaccine to view a list of providers with excess vaccine in their area and for providers to input their own excess inventory to be utilized by others. View the website and matchmaker tool [here](#). Consider checking the matchmaker before placing orders into I-CARE.

Hub and Spoke Model for Small Practices

If minimum shipment sizes are too large for your office to use before expiration, the hub and spoke model can be used. The smaller primary care office would partner with a hub – an entity that places the order and receives the shipment. A hub could be a local health department, affiliated hospital or main clinic, or a willing pharmacy. The hub would complete an online transfer form in I-CARE to share vaccine with the primary care office – the spoke. The office would be responsible for picking up the vaccine.



TIPS FOR ORDERING

Keep your inventory in your clinic records and in I-CARE current! At any given time, someone in your clinic, organization, or practice should know how many doses you have left.

Input what you have given into I-CARE in a timely fashion and update your vaccine inventory at [VaccineFinder](#). Reporting is no longer required, but highly encouraged so people know where they can go to get COVID-19 vaccines. Use the **“Add Vaccine”** option to add NDCs to your location to report inventory doses. Make sure you add the ages your location is vaccinating.

ANCILLARY KITS

Vaccines are shipped with ancillary supplies in a separate box. These kits vary, but generally include needles, syringes, alcohol prep pads, masks and face shields, vaccine record cards, and diluent if applicable. Leftover ancillary supplies may be used for other clinic activities or shared between clinics.

Important notes: Diluent included in ancillary kits with the Pfizer pediatric vaccine contain 10mL diluent vials. While these vials appear to contain sufficient diluent for multiple vials, they must only be used once as they are a one-time-use item. They should be discarded with the remaining content after each use. For each vial of vaccine, extract 1.3mL of diluent from a single-use vial to reconstitute 1.3mL of vaccine. **Do not be tempted to reuse punctured diluent vials more than once.**

Remember that:

- The Pfizer ancillary kits will only contain 1 inch length needles
- No need to train new staff on when to use a 5/8 inch length needle

More on needle sizes in **Section Five - Vaccine Administration**. Ancillary supplies provided DO NOT include Epi Pens or Epinephrine. You are expected to supply Epi Pens or Epinephrine and assure this emergency equipment is available during administration of the vaccine to children. You can use the Immunization Action Coalition (IAC) handout [Medical Management of Vaccine Reactions in Children and Teens in a Community Setting](#) as a standing order for management of vaccine reactions.

VACCINE SHIPMENT PACKAGING

Shippers

Vaccine manufacturers have developed packaging and storage to support the different locations these products are being sent. Vaccines may arrive in specially designed, temperature-controlled thermal shippers; some may even have dry ice to maintain recommended storage temperatures.



It's important to be prepared to move vaccines from shippers to on-site storage in a timely fashion.



The Pfizer products will be shipped with a SAGA Data Logger that tracks detailed temperature information during shipment. Vaccine coordinators will get an email with temperature updates during shipping, including any breaches in protocol. The SAGA shipper must be returned in the provided packaging after vaccine receipt.

The Moderna products are shipped with a TagAlert temperature monitor. Check the TagAlert temperature monitoring device by pressing the blue “start and stop” button. Read indicator Status to determine if the appropriate temperature was maintained during transit. If left arrow points to a green checkmark: the vaccine is ready to use. Store the vaccine at proper temperatures immediately. If right arrow points to red X: The numbers 1 and/or 2 will appear in the display. Store the vaccine at proper temperatures and label DO NOT USE! Call the phone number indicated in the instructions or your jurisdiction’s immunization program IMMEDIATELY. Return small shipper following McKesson’s return instructions. Give the cooler to your regular UPS delivery person for return or call 1-800-PICK-UPS to schedule a pickup. Dispose of medium and large shippers and packing materials.

Further information about vaccine storage guidelines is available on the CDC’s [Pinkbook](#) and [Vaccine Storage and Handling Toolkit](#) (Mar 2021).


UNPACKING & LABELING

Vaccines Arrived – Now What?

- Vaccines and diluents should be carefully unpacked and moved into the appropriate storage unit as soon as they arrive.
- Ancillary supplies will be in a separate box.
- Examine the shipping containers for the correct quantity and any signs of damage.
- If there are any issues or discrepancies notify your local health department immediately



TIP: Use color coded labels to sort each shipment – this will make it easier to see which vaccines are closest to their expiration date.



Moderna Notes

The formulation of Moderna for ages 6 months and older with a blue cap and gray label may say 'For Booster Doses Only'. However, this product is authorized for those who have never received a previous dose of COVID-19 vaccine.

STORAGE & HANDLING

Make Sure You Do Not Miss an Important Storage Alert



Storage alerts and lot expiration date extensions happen regularly. Be sure to add these contacts to your safe sender lists so that you receive order, shipping, and temperature monitoring alerts:

- cvgovernment@pfizer.com
- Pfizer.logistics@controlant.com
- onsitemonitoring@controlant.com



Check out the CDC's At-A-Glance Resource Guide on Vaccine Administration, Storage, and Handling

[View PDF](#)

STORAGE & HANDLING (CONTINUED)

Pfizer-BioNTech, Moderna, and Novavax Vaccine Shipping & Delivery Information

VACCINE MANUFACTURER/PRODUCT	THERMAL SHIPPER AS TEMPORARY STORAGE?	OPTIONS FOR STORAGE UPON ARRIVAL
<p>Pfizer-BioNTech</p> <p>6 mos through 4 years ("Age 2y to <5y" or "Age 6m to < 5y" on vial label) Maroon top</p> <p>5 through 11 years ("Age 5y to <12y" on vial label) Orange top</p> <p>Adult (12+) Gray top</p> <p>SHIPPED FROM PFIZER</p>	<p>NO</p> <p>Remove the temperature monitoring device from the shipping container and check the temperature monitor for any excursion warnings, turn the monitor off.</p> <p>Return device using the included prelabeled foldable return box. Dispose of the single-use thermal shipping container.</p>	<ul style="list-style-type: none"> • Ultra-low temperature freezers (-90°C + -60°C) for up to 12 months • Refrigeration units that are commonly available in hospitals and pharmacies: <ul style="list-style-type: none"> • The vaccine has shown improved stability and can be stored for up to 10 weeks at refrigerated 2 - 8°C conditions • Cannot be stored in freezers at -25°C to -15°C. • Visit here for updated guidance
<p>Moderna</p> <p>6 mos–5 years Bivalent (Pink vial cap with yellow bordered label)</p> <p>6 mos and older Bivalent (Blue vial cap with gray-bordered label)</p> <p>SHIPPED FROM McKESSON DISTRIBUTION SITES</p>	<p>N/A: Remove from packaging. Once vaccine vials are thawed, they cannot be refrozen.</p> <p>Keep the vials in their original package to protect them from light.</p>	<ul style="list-style-type: none"> • Shipped to your location frozen. • Can be stored frozen between -50° to -15°C (-58° to 5°F) until the expiration date. • Do not store on dry ice or below -50°C (-58°F). • Vials can be stored refrigerated between 2° to 8°C (36° to 46°F) for up to 30 days prior to first use. • If you believe any vials experienced a temperature excursion, use Temperature Excursion Tool here for further instructions.
<p>Novavax</p>	<p>N/A: The vaccine will arrive between 2° to 8°C (36°F to 46°F) in a qualified shipping container.</p> <p>Unpack vaccine immediately upon arrival at the clinic. Store in original packaging to protect from light.</p>	<ul style="list-style-type: none"> • Store between 2°C and 8°C (36°F and 46°F) until the expiration date. • Once punctured, Novavax COVID-19 Vaccine must be used within 6 hours. <ul style="list-style-type: none"> • Note when (time) the vial is first punctured and use within 6 hours. • Discard vial and any remaining vaccine after 6 hours.

STORAGE & HANDLING (CONTINUED)

Pfizer-BioNTech Storage & Handling Information

AGE INDICATIONS	6 months through 4 years	5 years through 11 years	12 years and older
FORMULATION	Bivalent	Bivalent	Bivalent
VIAL CAP COLOR/LABEL WITH COLOR BORDER	Maroon/ Bivalent label	Orange/ Bivalent label	Gray/ Bivalent label
PREPARATION	Dilute Before Use	Dilute Before Use	Do Not Dilute
AMOUNT OF DILUENT NEEDED PER VIAL^a	2.2 mL	1.3 mL	
DOSE VOLUME/DOSE	0.2mL/3mcg	0.2 mL/10 mcg	0.3 mL/30 mcg
DOSES PER VIAL	10 doses (after dilution)	10 doses (after dilution)	6 doses or 1 dose
ULT FREEZER (-90°C TO -60°C)^b	18 months		
FREEZER (-25°C TO -15°C)	DO NOT STORE		
REFRIGERATOR (2°C TO 8°C)	10 weeks		
ROOM TEMPERATURE (8°C TO 25°C) including any thaw time	12 hours prior to first puncture		
AFTER FIRST PUNCTURE (2°C TO 25°C)	Discard after 12 hours		

^a Diluent: Sterile 0.9% Sodium Chloride Injection, USP. Do not use bacteriostatic 0.9% Sodium Chloride Injection or any other diluent.

^b Regardless of storage condition, vaccines should not be used after 12 months from the date of manufacture printed on the vial and cartons.

STORAGE & HANDLING (CONTINUED)

Moderna Storage & Handling Information

AGE INDICATIONS AND FORMULATION	6 months through 5 years (Bivalent)	6 months and older (Bivalent)
VIAL CAP COLOR	Dark Pink	Dark Blue
VIAL LABEL BORDER COLOR	Yellow	Gray
PREPARATION	Do Not Dilute	Do Not Dilute
DOSE VOLUME/DOSE	0.2 mL/10 mcg	<ul style="list-style-type: none"> • 6 months to 5 years old: 0.25 mL/25 mcg • 6 to 11 years old: 0.25 mL/25 mcg • 12 years and older: 0.5 mL/50 mcg
DOSES PER VIAL	2 doses	Varies by age
ULT FREEZER (-90°C TO -60°C)	DO NOT STORE	
FREEZER (-50°C TO -15°C)^a	Until expiration	
REFRIGERATOR (2°C TO 8°C)	30 days	
ROOM TEMPERATURE (8°C TO 25°C) including any thaw time	24 hours	
AFTER FIRST PUNCTURE (2°C TO 25°C)^b	Discard after 8 hours	Discard after 12 hours

^a Regardless of storage condition, vaccines should not be used after the expiration date.

^b After a vial is punctured 20 times it should be discarded even if the 12-hour time limit has not been met.

STORAGE & HANDLING (CONTINUED)

Novavax Storage & Handling Information

AGE INDICATIONS	12 years and older
FORMULATION	Primary Series
VIAL CAP COLOR/ LABEL WITH COLOR BORDER	Royal Blue Cap
PREPARATION	Do Not Dilute
DOSE VOLUME/DOSE	0.5mL / 5mcg rS and 50mcg of Matrix M adjuvant
DOSES PER VIAL	10 or 5
ULT FREEZER (-90°C TO -60°C)	N/A
FREEZER (-25°C TO -15°C)	N/A
REFRIGERATOR (2°C TO 8°C) ^a	Until expiration date
ROOM TEMPERATURE (8°C TO 25°C) including any thaw time	N/A
AFTER FIRST PUNCTURE (2°C TO 25°C)	12 hours

^a Regardless of storage condition, vaccines should not be used after the expiration date.

ORGANIZING VACCINE STOCK

MINIMIZING RISK FOR VACCINE LOSS

- Review the CDC Toolkit for [Vaccine Storage and Handling](#)
- Organize stock to allow for vaccine that expires first to be used first
- Place water bottles on the top shelf and floor of the refrigerator and in the door racks to help maintain stable storage temperatures
- Do not place or store any items other than vaccines, refrigerated diluents, and water bottles inside clinic storage units
- Store vaccines and diluents in original packaging
- Arrange vaccines and diluents in rows and allow space between them to promote air circulation
- Note the expiration date on vial and updates to expiration date announcements




View the [CDC's learning module on vaccine storage and handling](#) to learn more!

EXPIRATION DATES

Always use the online look up tools below to check the expiration date of a vial before discarding it. Shelf-life extensions have been granted for some lots of Pfizer and Moderna products and more are expected as time goes on.

TIP: Register to access: [CDC's COVID-19 Vaccine Lot Number and Expiration Date Report](#)

The EUA supersedes the expiration date information on the vial.



Manufacturer Date versus Expiration Date:

The date on the Pfizer **maroon**, **orange**, and **gray** cap vials is the date of manufacture.

Expired vaccine should be discarded regardless of storage conditions.

MANUFACTURER	HOW TO FIND
Moderna (Spikevax)	<ul style="list-style-type: none">• Scan QR code on the vial or carton• Website: Look up tool
Pfizer	<ul style="list-style-type: none">• Website: Look up tool• See EUA fact sheets for providers
Novavax	<ul style="list-style-type: none">• Scan QR code on outer carton• Website: Look up tool